

Suraksha, Behtar **ElectriKAL** ke liye!

**Finolex**  
Cables Limited

**LEADERS IN QUALITY  
LEADERS IN DEPENDABILITY**



**RESIDENTIAL & COMMERCIAL:**

- Flame Retardant (FR) PVC Insulated Industrial Cables
- Flamegard - Flame Retardant Low Smoke (FR-LSH) Industrial Cables
- Halogard - Halogen Free Flame Retardant (HFFR) Industrial Cables
- Flexible Cables Single Core

**COMMUNICATION CABLES:**

- Co-Axial Cables
- Telephone Cables
- CCTV Cables
- Speaker Cables
- Lan Cables
- Optic Fiber Cables (HSN-9001)

**AGRICULTURE:**

- 3 Core Flat Cables
- PVC Insulated Winding Wires

**AUTOMOBILE / SOLAR POWER:**

- Auto Cables
- Solar Cables

List Price wef. 23rd June 2021



## RESIDENTIAL & COMMERCIAL



High grade 99.97% pure bare copper conductor

Abrasion resistant grade sheath material

Long life & highly durable cables

List Price

wef. 23rd June 2021





## FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS: 694

### GOLD PACK

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10302	0.75	1,075	20
10303	1.00	1,475	20
10304	1.50	2,140	12
10305	2.50	3,420	12
10306	4.00	4,960	8
10307	6.00	7,415	4

### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm)	LP Per 180M Coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.00	2,678	8
10314	1.50	3,877	6
10315	2.50	6,225	4
10306016	4.00	9,573	4
10307016	6.00	14,304	4

### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm)	LP Per 45M Coil (Rs.)	No. of Coils packed in a Master Carton
10313	1.00	667	30
10314	1.50	969	24
10315	2.50	1,556	24
10316	4.00	2,393	12
10317	6.00	3,576	8

### FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10312	0.75	1,046	20
10313	1.00	1,369	20
10314	1.50	1,975	12
10315	2.50	3,155	12
10316	4.00	4,842	8
10317	6.00	7,234	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above  
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.



List Price wef. 23rd June 2021

## FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS:694

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10113	1.00	1,383	20
10114	1.50	1,994	12
10115	2.50	3,186	12
10106	4.00	4,890	8
10107	6.00	7,305	4

## FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm)	LP Per 180M Coil (Rs.)	No. of Coils packed in a Master Carton
10113016	1.00	2,697	8
10114016	1.50	3,915	6
10115016	2.50	6,287	4
10106016	4.00	9,668	4
10107016	6.00	14,447	4

Product Code	Conductor Area (sq.mm)	LP Per 45M Coil (Rs.)	No. of Coils packed in a Master Carton
10113	1.00	674	30
10114	1.50	978	24
10115	2.50	1,571	24
10106	4.00	2,417	12
10107	6.00	3,611	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.  
 COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green-ø



# HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES



List Price wef. 23rd June 2021

## HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE HALOGARD SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V

### HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10403	1.00	1,482	20
10404	1.50	2,145	12
10405	2.50	3,486	12

Product Code	Conductor Area (sq.mm)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	5,094	8
10407	6.00	7,389	4

### HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm)	LP. per coil (Rs.)	Length per coil	No. of Coils packed in a Master Carton
10403010	1.00	4,470	270	8
10404010	1.50	6,440	270	6
10405010	2.50	10,480	270	4
10406016	4.00	10,189	180	4
10407016	6.00	14,797	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.  
COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

# FLEXIBLE CABLES



## FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/1990 UPTO 50 SQMM AND GENERALLY CONFORMING TO IS:694/1990 FROM 70 SQMM AND ABOVE.

**SINGLE CORE (Unsheathed):** Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14001	0.50	776
14002	0.75	1,120
14003	1.00	1,471

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14104	1.50	2,138
14105	2.50	3,440
14206	4.00	5,296

**SINGLE CORE Heavy Duty (Unsheathed):** Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14207	6	7,914
14208	10	13,981
14209	16	22,105
14210	25	34,555
14211	35	48,190
14212	50	68,320

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
14513	70	99,390
14514	95*	131,260
14515	120*	168,430
14516	150*	209,070
14517	185*	258,200
14518	240*	339,405

The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

## FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS:694/1990

**TWO CORE:** Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17002	0.50	2,345
17002	0.75	3,160
17002	1.00	3,880

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17102	1.50	5,145
17102	2.50	8,260
17202	4.00	12,815

**THREE CORE:** The single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17003	0.50	3,080
17003	0.75	4,205
17003	1.00	5,250

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17103	1.50	7,170
17103	2.50	11,420
17203	4.00	17,970

**FOUR CORE:** Four single cores laid up & overall round sheathed with PVC. Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17004	0.50	3,875
17004	0.75	5,310
17004	1.00	6,715

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17104	1.50	9,370
17104	2.50	15,015
17204	4.00	23,540

Packging : Cables shall be supplied in Standard length of 100 M

**SIX TO NINETEEN CORES\*:** The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Ylw/Green is for earthing. Colour of sheath - Black.

**SIX CORE\*** [ There will be one dummy core in the centre ]

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17006	0.50	5,695
17006	0.75	8,070
17006	1.00	10,080

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17106	1.50	14,040
17106	2.50	22,580
17206	4.00	35,640

**SEVEN CORES ( 1 + 6 ) \***

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17007	0.50	6,630
17007	0.75	9,200
17007	1.00	11,635

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17107	1.50	16,315
17107	2.50	26,185
17207	4.00	41,095

**EIGHT CORES \***

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17008	0.50	7,445
17008	0.75	10,380
17008	1.00	13,080

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17108	1.50	18,525
17108	2.50	29,850
17208	4.00	46,740



**TEN CORES: (2+8)\***

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17010	0.50	8,970
17010	0.75	12,770
17010	1.00	16,145

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17110	1.50	22,710
17110	2.50	36,690
17210	4.00	57,815

**TWELVE CORES: (3+9)\***

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17012	0.50	10,590
17012	0.75	15,100
17012	1.00	19,130

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17112	1.50	26,930
17112	2.50	43,925
17212	4.00	68,805

**FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.**

**FOURTEEN CORES: (4+10)\***

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17014	0.50	12,370
17014	0.75	17,410
17014	1.00	22,120

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17114	1.50	31,430
17114	2.50	51,110
17214	4.00	79,850

**SIXTEEN CORES ( 5 + 11 ) \***

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17016	0.50	13,985
17016	0.75	19,930
17016	1.00	25,315

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17116	1.50	35,740
17116	2.50	58,115
17216	4.00	91,375

**NINETEEN CORES ( 1 + 6 + 12 ) \***

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17019	0.50	16,300
17019	0.75	23,325
17019	1.00	29,910

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17119	1.50	42,165
17119	2.50	68,130
17219	4.00	107,595

The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

Packing : Cables shall be supplied in Standard length of 100 M

**FLEXIBLE CABLES - MULTICORE HEAVY DUTY**

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V GENERALLY CONFORMING TO IS:694/1990.

**3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)**

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17203074	6	26,465
17203084	10	45,220
17203094	16*	69,765
17203104	25*	107,480
17203114	35*	150,540

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17203124	50*	216,080
17503134	70*	303,700
17503144	95*	400,885
17503154	120*	535,775

**4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)**

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17204074	6	34,600
17204084	10	58,860
17204094	16*	90,510
17204104	25*	141,965
17204114	35*	198,065

Product Code	Conductor Area (sq.mm)	LP Per 100M Coil (Rs.)
17204124	50*	282,115
17504134	70*	400,680
17504144	95*	530,155
17504154	120*	692,260

The items marked \* are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

Packing : Cables shall be supplied in Standard length of 100 M

## COMMUNICATION CABLES



High grade 99.97% pure bare copper conductor



Abrasion Resistant grade sheath material



Long life & highly durable cables

List Price

wef. 23rd June 2021



## COAXIAL CABLES - JELLY



List Price wef. 23rd June 2021

### COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,615	4926
RG 6 CU	2,250	6863
RG 11 CU	5,045	15387

Finolex Coaxial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape And Al. Wire Braid, Jelly Flooded And Pvc Jacketing In Black Colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,425	4346
RG 11 CCS	2,840	8662

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation,with laminated aluminium tape and Al. Wire braid,Jelly flooded and PVC Jacketing in Black colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	2,960	9028

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation,with laminated aluminium tape and Al. Wire braid,Jelly flooded and PVC Jacketing in Black colour.

## CCTV CABLE



Product Code	Product Description	Unit	List Price (Rs.)
65913013	Rg59 JF X1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	2,890
65913018	RG59 JF X1+3X0.15 SQMM CCTV WHITE 305M	305 Mtr	9794
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,150
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	10,675
65916013	RG59 JF X1+6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,665
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	12,420
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	1,925
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	3,790
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,150
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,240

## TELEPHONE CABLE

List Price wef. 23rd June 2021

### TELEPHONE CABLES

**FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHELENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.**

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	750
31050023	2 pair	1,320
31050033	3 pair	1,945
31050043	4 pair	2,560
31050053	5 pair	3,180

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	6,210
31050203	20 pair	11,805
31050503	50 pair	28,875
31051001	100 pair	56,555

Standard length of the coil is 90 Mtrs. | Standard length of the drum is 500m +/-10%

**Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped and sheathed with high oxygen index Fire Retardent PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.**

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	529
31040023	2 pair	929
31040033	3 pair	1,362
31040043	4 pair	1,750
31040053	5 pair	2,152

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,339
31040203	20 pair	8,158
31040503	50 pair	19,651
31041001	100 pair	37,808

Standard length of coil is 90 M trs. | Standard length of the drum is 500m +/-10%

**A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.**

## LAN CABLE

Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP - 4 Pair Cat 5 Enhanced Lan Cable	305 Mtr	8,121
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	10,096
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	10,096
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	10,096
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	10,096
32925048	0.5 x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	3,881
32105028	0.5 x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,200



## SPEAKER CABLE




List Price wef. 23rd June 2021

Product Code	Product Description	No of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	1,710
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	2,480
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	3,065
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	4,495
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	6,950
60329024	Speaker Cable 2.5 SQMM (Transparent) 100M	6	100 Mtr	7,185
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	427
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	620
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	766
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,123

PACKING : Available in 100 M coils AND 25 M coil





## OPTIC FIBRE CABLE



**HSN - 9001**

List Price wef. 23rd June 2021



# OPTIC FIBRE CABLE

## FINOLEX SINGLE MODE / MULTI MODE OPTICAL FIBRE CABLES IN UNARMoured / ARMoured FOR UNITUBE OR MULTITUBE TYPE

### UNARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8101105002	DMAX-E	2F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	9860	COIL
8101105004	DMAX-E	4F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	11,460	COIL
8101105006	DMAX-E	6F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	13,005	COIL
8101105008	DMAX-E	8F Single Mode Uni Tube Un-Armd (2FRP) OFC	5.2 +/-0.3	15,265	COIL
8101105302	DMAX-ER	2F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	11,695	COIL
8101105304	DMAX-ER	4F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	13,285	COIL
8101105306	DMAX-ER	6F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	14,860	COIL
8101105308	DMAX-ER	8F Single Mode Uni Tube Un-Armd (2FRP) OFC	6.2 +/-0.3	17,290	COIL
8101103812	DMAX	12F Single Mode Uni Tube Un-Armd (2FRP) OFC	7.2 +/-0.3	23,300	COIL
8101104124	DDBX	24F Single Mode Uni Tube Un-Armd (2FRP) OFC	9.30 +/-0.2	42,340	DRUM

### ARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8101104002	MMAX	2F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	19,575	DRUM
8101104004	MMAX	4F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	21,160	DRUM
8101104006	MMAX	6F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	22,695	DRUM
8101104008	MMAX	8F Single Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	24,300	DRUM
8101102412	MLM	12F Single Mode Uni Tube (2SW) Armd OFC	8.8 +/-0.3	30,340	DRUM
8101102624	MLX	24F Single Mode Uni Tube (2SW) Armd OFC	10 +/-0.5	45,855	DRUM
8108104002	MMAX OM1	2F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	29,060	DRUM
8108104004	MMAX OM1	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	37,900	DRUM
8108104006	MMAX OM1	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	46,965	DRUM
8108104008	MMAX OM1	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	55,830	DRUM
8108104012	MMAX OM1	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	73,795	DRUM
8107104002	MMAX OM2	2F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	24,305	DRUM
8107104004	MMAX OM2	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	29,430	DRUM
8107104006	MMAX OM2	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	34,690	DRUM
8107104008	MMAX OM2	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	39,885	DRUM
8107104012	MMAX OM2	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	50,430	DRUM
8105104002	MMAX OM3	2F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	29,232	DRUM
8105104004	MMAX OM3	4F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	41,380	DRUM
8105104006	MMAX OM3	6F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	53,975	DRUM
8105104008	MMAX OM3	8F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	66,460	DRUM
8105104012	MMAX Om3	12F Multi Mode Uni Tube (2SW) Armd OFC	7.8 +/-0.3	91,535	DRUM

### MULTI TUBE UNARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8400200004	Multi Tube	04F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	26,240	DRUM
8400200006	Multi Tube	06F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	28,350	DRUM
8400200012	Multi Tube	12F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	32,795	DRUM
8400200024	Multi Tube	24F Single Mode Multi Tube (Un-Armd) OFC	9.4 +/-0.3	43,670	DRUM
8400200048	Multi Tube	48F Single Mode Multi Tube (Un-Armd) OFC	10.2 +/-0.3	65,350	DRUM
8400200072	Multi Tube	72F Single Mode Multi Tube (Un-Armd) OFC	10.6 +/-0.3	85,545	DRUM
8400200096	Multi Tube	96F Single Mode Multi Tube (Un-Armd) OFC	11.9 +/-0.3	111,390	DRUM

### MULTI TUBE ARMoured

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8402200004	Multi Tube	04F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	31,285	DRUM
8402200006	Multi Tube	06F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	33,290	DRUM
8402200012	Multi Tube	12F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	34,260	DRUM
8402200024	Multi Tube	24F Single Mode Multi Tube (Single sheath-Armd) OFC	9.8 +/-0.3	47,785	DRUM
8402200048	Multi Tube	48F Single Mode Multi Tube (Single sheath-Armd) OFC	10.6 +/-0.3	69,010	DRUM
8402200072	Multi Tube	72F Single Mode Multi Tube (Single sheath-Armd) OFC	11 +/-0.3	88,470	DRUM
8402200096	Multi Tube	96F Single Mode Multi Tube (Single sheath-Armd) OFC	12.3 +/-0.3	114,375	DRUM



## FTTH CABLE

1 or 2 fibres are placed in LSZH/PVC sheath in between two ARP / FRP rods which can be taken out easily

### FTTH G652D

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8404500001	FTTH	01ED4 - 01F G652D FTTH 2ARP PVC CABLE	3.0+/-0.3	8,067	Spool/cartoon
8404500002	FTTH	02ED4 - 02F G652D FTTH 2ARP PVC CABLE	3.0+/-0.3	8,829	Spool/cartoon
8405500001	FTTH	01ED5 - 01F G652D FTTH 2ARP LSZH CABLE	3.0+/-0.3	8,950	Spool/cartoon
8405500002	FTTH	02ED5 - 02F G652D FTTH 2ARP LSZH CABLE	3.0+/-0.3	9,711	Spool/cartoon
8403500001	FTTH	01ED3 - 01F G652D FTTH 2FRP LSZH CABLE	3.0+/-0.3	6,430	Spool/cartoon
8403500002	FTTH	02ED3 - 02F G652D FTTH 2FRP LSZH CABLE	3.0+/-0.3	7,175	Spool/cartoon
8402500001	FTTH	01ED2 - 01F G652D FTTH 2FRP PVC CABLE	3.0+/-0.3	5,770	Spool/cartoon
8402500002	FTTH	02ED2 - 02F G652D FTTH 2FRP PVC CABLE	3.0+/-0.3	6,515	Spool/cartoon

### FTTH G657A1

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8441502001	FTTH	01ED11 - 01F G657A1 FTTH 2ARP LSZH CABLE	3.0+/-0.3	9,005	Spool/cartoon
8441502002	FTTH	02ED11 - 02F G657A1 FTTH 2ARP LSZH CABLE	3.0+/-0.3	9,770	Spool/cartoon
8440502001	FTTH	01ED10 - 01F G657A1 FTTH 2ARP PVC CABLE	3.0+/-0.3	8,125	Spool/cartoon
8440502002	FTTH	02ED10 - 02F G657A1 FTTH 2ARP PVC CABLE	3.0+/-0.3	8,890	Spool/cartoon
8449500001	FTTH	01ED9 - 01F G657A1 FTTH 2FRP LSZH CABLE	3.0+/-0.3	6,450	Spool/cartoon
8449500002	FTTH	02ED9 - 02F G657A1 FTTH 2FRP LSZH CABLE	3.0+/-0.3	7,210	Spool/cartoon
8448500001	FTTH	01ED8 - 01F G657A1 FTTH 2FRP PVC CABLE	3.0+/-0.3	5,685	Spool/cartoon
8448500002	FTTH	02ED8 - 02F G657A1 FTTH 2FRP PVC CABLE	3.0+/-0.3	6,550	Spool/cartoon

### COST ECONOMICAL DESIGN

Product Code	Design Name	Product Description	Cable OD in mm	LP / Price	Packaging
8411015002	Economical	2LOC5- 2F Uni Tube 2FRP 0.8 Un-Armd BLK HDP OFC	5.8+/-0.5	8,500	COIL
8411015004	Economical	04LOC5-4F Uni Tube 2FRP 0.8 Un-Armd BLK HDP OFC	5.3+/-0.3	9,900	COIL
8411016004	Economical	4LOC6-4F Uni Tube 2FRP 0.8 Un-Armd OFC	5.8+/-0.5	10,535	COIL
8411017004	Economical	04LOC7-4F Uni Tube 2SW 0.8 Un-Armd OFC	5.8+/-0.5	10,730	COIL
8101105404	Economical	4F Unitube CE design Un-Armd UOFC	5.8+/-0.5	10,590	COIL
8411017006	Economical	06LOC7-6F Uni Tube 2FRP 0.8 Un-Armd BLK HDPOFC	5.3+/-0.3	11,300	COIL
8411018006	Economical	06LOC8-06F Uni Tube 2FRP 0.8 Un-Armd OFC	5.8+/-0.5	11,930	COIL
8411011006	Economical	06LOC10-06F Uni Tube 2SW 0.8 Un-Armd UA OFC	5.8+/-0.5	12,130	COIL
8101105406	Economical	6F CE design Un-Armd UOFC	5.8+/-0.5	12,010	COIL
8411018012	Economical	12LOC8-12F Uni Tube 2FRP08 Un-Armd OFC	5.8+/-0.5	16,250	COIL
8400101112	Economical	12CTV0 - 12F Uni Tube 2SW 0.8 Un-Armd OFC	5.8+/-0.5	16,445	COIL



## AGRICULTURE

Also available  
in XLPE  
insulation



High grade 99.97% pure  
bare copper conductor

Abrasion resistant  
grade sheath material

Long life & highly  
durable cables

[List Price](#)

wef. 23rd June 2021

## 3 CORE FLAT CABLE



List Price wef. 23rd June 2021

### 3 CORE FLAT CABLE

**FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS 694:1990**

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13703041	1.50	22/.3	7,720
13703051	2.50	36/.3	12,415

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13703061	4.00	56/.3	18,110

**FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR INSULATED WITH PVC AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS GENERALLY CONFORMING TO IS 694:1990**

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13803071	6.00	84/.3	26,670
13803081	10.00	140/.3	45,225
13803091	16.00	226/.3	70,315
13803101	25.00	354/.3	110,085

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13803111	35.00	495/.3	152,025
13803121*	50.00	703/.3	Prices for these sizes can be given on request.
13803131*	70.00	360/.5	
13803141*	95.00	475/.5	

**FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS**

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823059	2.50	36/.3	13035

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823069	4.00	56/.3	19015

**FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS**

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823079	6.00	84/.3	28005
13823089	10.00	140/.3	47485
13823099	16.00	226/.3	73830

Product Code	Conductor Area	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13823109	25.00	354/.3	115590
13823119	35.00	495/.3	159625

### 3 CORE FLAT CCA CABLES

**FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS**

Product Code	Conductor Area (sqmm)	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13853079	8	84/.36	16,025
13853089	14	140/.36	26,460
13853099	23	226/.36	41,345

Product Code	Conductor Area (sqmm)	Conductor Construction No./Dia mm	LP Per 100Mtr (Rs.)
13853109	36	354/.36	60,630
13853119	50	594/.36	83,110

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as \* are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.



## PVC INSULATED WINDING WIRES



List Price wef. 23rd June 2021

### PVC INSULATED WINDING WIRES

**FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1 : 1995**

Product Code	Conductor Nominal (mm)	List Price Per100Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No.of Mono Cartons Packed Per Master Carton
13000601	0.60	475	1000	6
13000602	0.60	475	500	6
13000701	0.70	645	1000	6
13000702	0.70	645	500	6
13000801	0.80	830	1000	6
13000802	0.80	830	500	6
13000901	0.90	1,040	1000	5
13000902	0.90	1,040	500	6
13001001	1.00	1,275	1000	5
13001002	1.00	1,275	500	6
13001101	1.10	1,530	1000	4
13001102	1.10	1,530	500	6
13001201	1.20	1,810	1000	4
13001202	1.20	1,810	500	6
13001301	1.30	2,115	1000	3
13001302	1.30	2,115	500	6
13001402	1.40	2,460	500	5
13001502	1.50	2,815	500	5
13001602	1.60	3,185	500	4
13001702	1.70	3,595	500	4
13001802	1.80	4,030	500	4
13001902	1.90	4,480	500	3
13002002	2.00	5,005	500	3
13002102	2.10	5,505	500	3
13002202	2.20	6,025	500	2
13002302	2.30	6,575	500	2
13002402	2.40	7,170	500	2
13002502	2.50	7,765	500	2
13002602	2.60	8,390	500	2
13002702	2.70	9,025	500	2
13002804	2.80*	9,730	250	3
13003004	3.00*	11,140	250	2

NOTE : The items marked as \* are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request. Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.  
 PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.

# AUTOMOBILE / SOLAR POWER



High thermal rating to withstand extreme temperatures



Excellent resistance to heat pressure



Long life & highly durable cables





**THE TRUE CHAMPION  
ON THE ROAD**



## AUTO (BATTERY) CABLES

List Price wef. 23rd June 2021

### AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sqmm)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	5,526	22,105
22210	354/.3	25	8,630	34,555
22211	495/.3	35	12,050	48,190
22212	703/.3	50	17,065	68,320
22513	360/.5	70	24,833	99,390
22514	475/.5 *	95	32,840	131,260
22515	608/.5 *	120	42,140	168,430
22516	750/.5 *	150	52,280	209,070
22517	925/.5 *	185	64,585	258,200
22518	1221/.5 *	240	84,840	339,405

### PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sqmm)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	870	3,470

105 DEGREE CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sqmm)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	193	763
2302	24/.21	0.75	288	1,140
2303	32/.21	1.00	380	1,515
2304	30/.26	1.50	557	2,215
2305	50/.26	2.50	920	3,665
2306	56/.31	4.00	1,525	6,080
2307	84/.31	6.00	2,258	9,010

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE : The items marked as \* are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.



List Price wef. 23rd June 2021

## SOLAR DC CABLE

**FINOLEX ANNEALED TIN COPPER CONDUCTOR, SINGLE CORE, MULTISTRAND, CROSS LINKED, ZERO HALOGEN LOW SMOKE INSULATION AND SHEATHING, HEAT RESISTANT UP TO 1200 C AND UV RESISTANT SOLAR DC CABLE AS PER TUV 2 Pfg 1169 / 08.2007**

**Product Code	Conductor Area (sq mm)	List Price per 100 Mtr Rs.	Packing
16906011	4	7,675	STANDARD LENGTH OF 500 MTR
16907011	6	10,690	STANDARD LENGTH OF 300 MTR

Notes	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	The full product code is of 8 digits. For example : 22209014 = Auto Cable 0.3 conductor 16 sqmm Black 100m 22513102 = Auto Cable 0.5 conductor 70 sqmm Red 25m. a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor. b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm. c) Next two digits are for colour i.e. 01=Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=Orn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel. d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

[f /Finolexcables](#) | [t /Finolexcables](#) | [i /Finolex.cables](#)



**Finolex**  
Cables Limited

AN IS/ISO 9001 CERTIFIED COMPANY

26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India  
Tel: 020-27506200 | Fax: 020-27472239

Visit us at: [www.finolex.com](http://www.finolex.com) | Email: [sales@finolex.com](mailto:sales@finolex.com)  
CIN: L31300MH1967PLC016531

**Finolex gets people together**

For technical literature please contact our Branch Offices:

**Ahmedabad:** Tel: 079-26584637, 26575639 | **Bangalore:** Tel: 080 25320176 |  
**Bhubaneswar:** Tel: 0674-2530053 | **Chennai:** Tel: 044-28231514, 28284142 |  
**Chandigarh:** Tel: 0172-5076631, 2637334 | **Cochin:** Tel: 0484-2408930, 2408492 |  
**Coimbatore:** Tel: 0422-2333939/40 | **Dharwad:** Tel: 0836-2746440 | **Goa:** Tel: 0832-2782003, 2782065 | **Gurgaon:** Tel: 0124-4382304 | **Guwahati:** Tel: 0361-2490067 |  
**Indore:** Tel: 0731-2802646 | **Jaipur:** Tel : 0141-2332526/29 | **Kolkata:** Tel: 033-24192494, 24192495 | **Lucknow:** Tel: 0522-2439815, 4035031 | **Ludhiana:** Tel: 0161-2804005 | **Mumbai:** Tel: 022-22873252, 22820062 | **New Delhi:** Tel: 011-23324748, 23353160 | **Patna:** Tel: 0612-2589835 | **Pune:** Tel: 020-27475963, 27506200 | **Raipur:** Tel: 0771-2885595 | **Ranchi:** Tel: 0651-2284758 | **Roorkee:** Tel: 01332-224068 |  
**Secunderabad:** Tel: 040-27721224, 27811161 | **Vadodara:** Tel: 9099775559 |  
**Vijayawada:** Tel: 9397889670 | **Pondicherry:**

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any of the above specifications without any prior notice.

*In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.*