

PHILIPS

Lighting





Contents

04-07 LED Lamps

08-09 Smart Wi-Fi

10-13 T BULB

14-21 LED Battens

22-27 LED Luminaires

28-33 Home

34-39 CFL & GLS

40-45 TL

46-49 Modular
Switches

50-53 MCB, RCB
& Isolators

54-59 Lighting
Accessories

60-61 LED and
Lamp Drivers



LED Lamp

Ace Saver

2.7W & 4W

Specifications & Features

- 2.7W: 230lm, 4W: 350lm
- Available in CDL & WW; B22 & E27
- Replaces 5W and 8W CFLi

MRP: ₹130/-, ₹155/-

HSN Code: 85395000



Ace Saver

7W & 9W, 10.5W

Specifications & Features

- 7W: 630lm, 9W: 825lm, 10.5W: 1050lm
- Patented interlaced optics technology
- 10K life hours
- Available in CDL; B22 & E27

MRP: ₹140/-, ₹155/-, ₹220/-

HSN Code: 85395000



Stellar Bright High Wattage

12W, 14W, 17W, 20W, 23W

Specifications & Features

- 12W: 1200lm; 14W: 1400lm; 17w: 1700lm, 20w: 2000lm, 23w: 2300lm
- 15000 life hours
- 12W, 14W available in CDL, WW; B22 and 17W, 20W & 23W available in CDL, B22, E27 and WW in 20W

MRP: 12w-₹280, 14w ₹305, 17w ₹365, 20w ₹415, 23w ₹450

HSN Code: 85395000





Candle

2.7W, 4W

Specifications & Features

- 2.7W: 250lm, 4W: 400lm
- 10,000 life hours
- Available in CDL, WW, E27, B22 Frosted & Clear

MRP: ₹160/-, ₹230/-

HSN Code: 85395000

Inverter Lamp

9W, 12W

Specifications & Features

- Power back-up: Up to 4 hours
- Lumen output becomes upto 50% when on battery mode
- Battery : Li-ion battery
- Base cap : B22
- 1 year warranty

MRP: ₹549/-, ₹649/-

HSN Code: 85395000



Emergency T-Bulb

10W

Specifications & Features

- Power back-up: Up to 4 hours
- Lumen output becomes upto 50% when on battery mode
- Battery: Li-ion battery
- Base cap: B22
- Better Light spread than normal bulb in emergency T bulb
- 1 year warranty

MRP: ₹749/-

HSN Code: 85395000



Stellar Bright Super High Wattage

30W, 40W, 50W

Specifications & Features

- 30W: 3000lm, 40W: 4000lm, 50W: 5000lm
- 15000 life hours
- Available in CDL; B22
- Available in CDL B22 & E27 & WW B22 in 40W
- Replaces 45W, 65W & 80W CFLi

MRP: ₹750/-, ₹1,050/-, ₹1,350/-

HSN Code: 85395000

Deco Mini

0.5W

Specifications & Features

- 0.5W
- 10,000 life hours
- Available in red, yellow, white, green, pink, orange, blue

MRP: ₹70/-

HSN Code: 85395000



Smart Wi-Fi

94051090



Smart Wi-Fi LED Bulb



10W

Specifications & Features

- 10w 850lm, LED bulb in B22, E27 available in 6500k
- Choose your color of preference for your house, choose any color from color palette.
- Control your lights with help of Mobile or Voice assistant
- Easy to connect
- Use any of the 28 preset modes or add customized modes
- The only bulb to have a power outage feature – Will remember last mode if your light goes out.
- Wiz click (Toggle through the switch without Wi-Fi)

MRP: 2049

HSN Code: 85395000

Smart Wi-Fi LED Batten

24W

Lumens – 2800 lm (@ 115 lumen per watt for 6500k)
Length – 4ft

12NC 919515813975

Specifications & Features

- Control your lights with help of Smartphone or Voice assistant (Amazon Alexa, Google Home or Apple Siri)
- Dimmable and Tunable white light from 3000k to 6500k. Pick the right light for all your moments.
- Multiple customisation options, scenes and preset modes available.

MRP: 2499

HSN Code: 94051090



Smart Wi-Fi LED Downlight

Smart Wi-Fi LED Lighting

10W, 15W

12NC 929001910913

Specifications & Features

- Switches between different tones of white
- Designed to give maximum glow
- Lumen output: 10W: 1000, 15W: 1500
- Plug & Play / Available in CDL B22, E27

MRP: 10W: 2099, 15W 2499

HSN Code: 94051090



- **Circadian Rhythm** – Feel and sleep better with this default well-being option, which slowly transitions from bright daylight to dim warm white from morning to night.
- No hub needed – No additional or hidden cost. No fuss.



T Bulb



T-Bulb Curvey

Wattage: 12W, 15W

Specifications & Features

- 12watt, 1100 lm, 15watt 1500 lm, Available in 6500K B22
- New attractive convex form factor
- Ease of application:
 - Can be used in existing bulb holder
 - Swivel body action for better adjustment
- Wider light spread: 26% wider light spread
- Low glare with better quality diffuser
- Surge protection of 2.5KV

MRP: ₹319/-, ₹399

HSN Code: 85395000



T Bulb

8W: 800lm, 10W: 1000lm, 14W: 1400lm,
18W: 1800lm, 30W: 3000lm

Specifications & Features

- Innovative design for better light spread
- Swivel body for better focus & changing light direction as per requirement upto 35 degree (up or down)
- 15,000 life hours
- Available in CDL B22 & E27 & (WW B22, E27 in 10 watt)

MRP: 8W: ₹250/-, 10W: ₹280/-, 14W: ₹380/-, 18W: ₹410/-,
30W: ₹799/-

HSN Code: 85395000

T-Beamer

Wattages: 20W, 25W

Specifications & Features

- T-Beamer 20W: 2000lm, 25W: 2500lm B22, plug n play
- Designed to deliver wide spread light similar to a regular LED batten
- Wider body (diffuser) than regular LED Batten for better eye comfort
- Swivel body for movement to change light direction as per requirement
- Application: Living room, bed room, shop front, passage, general lighting

MRP: ₹449/-, ₹599

HSN Code: 85395000





Stellar Bright TLED


20W
Stellar Bright TLED 6500K with Batten

Specifications & Features

- Available in 20 watt
- 2100 lumen
- 15,000 hours life
- Ideal replacement of conventional batten & tube

MRP: ₹499/-

HSN Code: 85395000



Stellar Bright TLED

20W
Stellar Bright TLED 6500K tube

Specifications & Features

- 20W: 2100lm
- Long life of 15K+ hours
- Ideal for replacement of conventional tube

MRP: ₹350/-

HSN Code: 85395000

LED Battens



TwinGlow-20w+20w

Wattages: 20w Uplight + 20w Downlight

Specifications & Features

- Innovative feature of both Uplight (Relax Mode – Indirect Light) and Downlight (Work Mode – Direct Light)
- Automobile inspired Chrome decal and branding with glistening mirror finish
- Super Bright Light – Spread covers entire room in either mode (Uplight or Downlight)
- Ideal for rooms where false ceiling is not present - to get the ambience of cove light (indirect light) and LED tubelight (Direct Light) in one single package
- Also available in (blue uplight + white downlight) and (yellow uplight + yellow downlight) variants

MRP: ₹ 1,499/-

HSN Code: 94051090

Work Mode



Direct Downlight (White)
Ideal for Reading, writing, working etc.

Relax Mode



Indirect Uplight (Yellow)
Ideal for watching TV, party time, unwinding etc.



Mirolta Pro 36W

Wattages: 36W 3600lm (Available in CDL)

Specifications & Features

- Beautiful and Powerful: Stunning design to match your living room décor
- Housed in aluminium extrusion for better heat dissipation and longer life
- Wider serrated diffuser for enhanced & uniform light spread
- Eye Comfort Technology (No Blue Light Hazard)

MRP: ₹2,199/-

HSN Code: 94051090



Mirolta Pro Tunable

(with remote control)


Wattages: 30W: 3200lm

Specifications & Features

- Operates via provided remote control to match lighting to your style:
 - 5 step dimming process (High to Low)
 - 5 step color modes (3000k to 6500k)
- Beautiful and Powerful: Artistic design to match your living room décor
- Housed in aluminium extrusion for better heat dissipation and longer life
- Wider serrated diffuser for enhanced & uniform light spread
- Eye Comfort Technology (No Blue Light Hazard)

MRP: ₹ 3,199/-

HSN Code: 94051090



Mirolta Essential 22w


Wattages: 22w (6500k – CDL)

Specifications & Features

- Refreshing and unique design to match modern day homes
- Robust metal construction for better heat dissipation and longer life
- Designed for bedrooms and mid-sized spaces
- Delivers 10% higher brightness than regular 20w batters
- Eye Comfort Technology with no blue light hazard

MRP: ₹ 899/-

HSN Code: 94051090



Slimline Advance 25W

(Available in CDL, WW, NW)

Specifications & Features

- Positioned as “The Study Room Specialist”
- Exclusively designed for study rooms and personal workspaces at home
- Delivers 25% more brightness than standard 4ft 20W LED Batters
- Robust aluminium construction for better heat dissipation and longer life
- Case Size: 20 pcs
- Dedicated earthing provision and cable included in box for user safety

MRP: ₹ 1099/-

HSN Code: 94051090

Slimline Advance 30W

(Available in CDL, WW, NW)


Specifications & Features

- Positioned as “The Living Room Specialist”
- Exclusively designed for Living Rooms and Larger Bedrooms/Study Rooms
- Delivers 50% more brightness than standard 4ft 20w LED Batters
- Robust aluminium construction for better heat dissipation and longer life
- Dedicated earthing provision and cable included in box for user safety

30w 3000lm; ₹1299, Case Size 20pcs

HSN Code: 94051090





Slimline Advance 36w

36w 3600lm (Available in CDL, WW, NW)

Specifications & Features

- Exclusively designed for large Living Rooms and large spaces/bedrooms at home
- Delivers double the brightness than standard 18w-1800lm LED Battens
- Unique new design for better aesthetic appeal
- Robust aluminium construction for better heat dissipation and longer life
- Dedicated earthing provision and cable included in box for user safety

MRP: ₹ 1599/-

HSN Code: 94051090

Astra Line

20W: 2000lm, 9W: 900lm, 5W: 450lm
(Available in CDL, WW, NW)

Specifications & Features

- Bright LED light source with uniform light output
- Surge protection of 2 KV with wide voltage protection 160-360V
- Case size: 20 pcs

MRP: 4ft: ₹600/-, 2ft: ₹400/-, 1ft: ₹350/-

HSN Code: 94051090



Astra Line Plus

24W: 2500lm (Available in CDL)

Specifications & Features

- Bright LED light source with uniform light output
- Surge protection of 2KV with wide voltage protection 160V-360V
- Case Size: 20 pcs

MRP: 4ft: ₹ 700/-

HSN Code: 94051090





Slimline Compact

20W: 2000lm (length 554 mm)

Specifications & Features

- Exclusively designed for kitchens and compact rooms/spaces
- Delivers brightness of a standard 4ft batten in a 2ft form factor
- Robust aluminium construction for better heat dissipation and longer life
- Available colors – 6500k (CDL)
Case Size: 20 pcs

MRP: ₹599/-

HSN Code: 94051090



Slimline NEXT

20w (1900lm); 10w (1000lm) and 5w (500lm)
(Available in CDL, WW, NW)

Specifications & Features

- Modern design, low glare and no flicker
- High performance diffuser for uniform lighting
- Resistant to yellowing and chipping
- High voltage protection
- Easy installation clips for user friendly installation
- Pack Size: 20 nos.

MRP: 20w ₹450/- , 10w ₹349/- , 5W ₹299/-

HSN Code: 94051090



Tarang Sleek & Tarang Electronic

36W: 2650lm & 36W: 2450lm

Specifications & Features

- Elegant slim design
- Robust metal body
- Wide voltage operation (140-270V) and highest surge protection of 2KV in the category
- Case size: 30 pcs & 16 pcs

MRP: ₹380/- , ₹400/-

HSN Code: 94051090



LED Luminaires

3W StarFit Junction Box 2" Downlight

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
3W	43	30	WW, NW, CW	R (Junction box fitting)	300/-
3W	43	30	Red, Green, Blue, Pink	R (Junction box fitting)	310/-

Specifications & Features

- Fits perfectly in a 2 inch small junction box
- Matt diffuser
- Wide voltage protection (160-360V)
- Surge protection up to 2KV

HSN Code: 94051090



Prime Plus

Bright Downlights, Solid Performance

Wattage	Cut Out (mm)	Pack Size (pcs)	Colour	Shape	MRP (Rs)
5W	75	24	WW, NW, CW	R (Junction Box Fitting), Sq	495/-
10W	110	24	WW, NW, CW	R, Sq	685/-
15W	140	24	WW, NW, CW	R, Sq	860/-
22W	188	12	WW, NW, CW	R, Sq	1415/-

5W Round: Fits Perfectly in 3" Junction Box

Specifications & Features

- Now brighter at 75 lumens/watt
- Eye Comfort Technology: Designed for low glare, reduced flicker and no blue light hazard*
- Wide voltage protection (160-360V)
- Surge protection up to 2.5KV

HSN Code: 94051090

* Not applicable on 22W





Max Plus Metal Panel

Wattage	Cut Out	Pack Size (pcs)	Color	Shape	MRP (Rs)
5W	80mm (JB)/110 mm (Non JB)	12	WW, NW, CW	R (JB: Junction box fitting), Sq	700/-
10W	136 mm	12	WW, NW, CW	R, Sq	900/-
15W	159 mm	12	WW, NW, CW	R, Sq	1100/-
18W	178 mm	12	WW, NW, CW	R, Sq	1500/-

Specifications & Features 100lm/watt

- Premium aluminum material for endurance
- Life class: 25,000 burning hours
- Surge protection of 2KV/BIS certified
- Wide voltage protection (160V-360V)
- Junction box fitting available: 5W

HSN Code: 94051090



Now in Red, Blue, Green & Pink Fits Perfectly in 3" Junction Box

5W Prime Plus Red, Green, Blue, Pink

Wattage	Cut Out (mm)	Pack Size (pcs)	Colour	Shape	MRP (Rs)
5W	75	24	Red, Green, Blue, Pink	R (Junction box fitting)	495/-

Now in Red, Blue, Green & Pink Fits Perfectly in 3" Junction Box

Specifications & Features

- Brighter at 75 lumens/watt
- Eye Comfort Technology: Designed for low glare, reduced flicker and no blue light hazard
- Wide voltage protection (160-360V)
- Surge protection up to 2.5KV

HSN Code: 94051090

Edge which glows due to rim-less design (Full glow Look)



Slim Design: 27mm
Rim-less


Edge Glow SLIM Rimless Surface Mount Ceiling Light

Wattage	Dimension (mm)	Pack Size (pcs)	Colour	Shape	MRP (Rs)
6W	102x102x27	12	WW, NW, CW	Round	850/-
9W	134x134x27	12	WW, NW, CW	Round	1175/-

Specifications & Features

- Attractive design - Rimless design with glowing edge
- **SLIM** - Only 27mm in height
- **Wide light spread:** 270° light spread
- **Ease of replacement:** Just twist & fit the light on the bracket
- Wide voltage protection (160-360V)
- Surge protection up to 2KV

HSN Code: 94051090



Ease of Replacement: Just twist & fit the light onto the Bracket

Modularity: 6W/9W-both the lights can be used on the same bracket.



270°
Light Spread

22W: LARGE FORMAT

1 X 1 size

Star Surface

Low Profile Surface Mount Ceiling Lights

Wattage	Dimension (mm)	Pack Size (pcs)	Lumen	Shape	Colour	MRP (Rs)
7W	146x146x25	12	600	R, Sq	WW, NW, CW	800/-
12W	178x178x25	12	900	R, Sq	WW, NW, CW	1,100/-
18W	234x234x25	12	1450	R, Sq	WW, NW, CW	1,600/-
22W	300x300x25	12	1700	R, Sq	WW,NW,CW	2,395/-

Specifications & Features

- Slim, sleek profile: 25mm thickness
- Low glare to prevent eye strain
- Surge protection of 2KV/BIS certified
- Wide voltage protection (160V-360V)
- 22W: Large format, size: 1ft x 1ft

HSN Code: 94051090



Astra Spot 2W 2W Focused Spot Light

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
2W	35	30	WW, CW	R	200/-

Specifications & Features

- Strong focused beam (36° beam)
- White synthetic housing
- Long life LEDs for durable performance

HSN Code: 94051090

Astra Spot COB 3W Tilt Adjustable Focused Spot Light (Tilt Option)

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
3W Tilt	64	24	WW, NW, CW	R	500/-

Specifications & Features

- Strong focused beam (36° beam)
- Tilt angle of 25°
- Metal heat sink for durable performance

HSN Code: 94051090



Astra Spot COB Series Focused Spot Lights

Wattage	Cut Out (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
7W	77	12	WW, NW, CW	R	1,050/-
12W	92	12	WW, NW, CW	R	1,400/-
20W	110	12	WW, NW	R	2,550/-

Specifications & Features

- Strong focused beam (36° beam)
- Adjustable/ tilttable head (25°)
- Metal heat sink for durable performance
- Long life LEDs for durable performance

HSN Code: 94051090



Astra Spot 2W Color R, G, B 2W Focused Spot Light

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
2W	35	30	Red, Green, Blue	R	235/-

Specifications & Features

- Strong focused beam (36° beam)
- White synthetic housing
- Long life LEDs for durable performance

HSN Code: 94051090



Astra Spot COB 3W Focused Spot Light

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
3W	52	30	WW, CW	R	465/-

Specifications & Features

- Strong focused beam (36° beam)
- White metal housing
- Metal heat sink for durable performance

HSN Code: 94051090



Linea Plus (31308) LED Strip with driver

Wattage	Lumens/ meter	Length (per pc)	Pack Size (pcs)	Color	No. of LED per meter	MRP
28W	480lm/ mtr	5m with driver	20	WW, NW, CW	60	2,000/-

Specifications & Features

- LED cove lighting
- 28W with driver for 5M (driver included)
- 2400 lm for 5M

HSN Code: 94051090



Cove Glow LED Strip without driver

Wattage	Lumens/ meter	Length (per pc)	Pack Size (pcs)	Color	No. of LED per meter	MRP
24W	360lm/ mtr	5m without driver	20	Blue, White (WW, NW, CW)	60	850/- 715/-

Specifications & Features

- Uniform light spread for perfect ambience
- Superior adhesive for easy installation
- 1800 lm for 5mtr.

HSN Code: 94051090

NEW
Now with
60 LEDs
per Meter





HOME

Ultron

17W

Model Number: 48027 Slim LED Wall

Specifications & Features

- 17W: 1350lm
- Sleek and modern design
- Super bright light
- Premium material and finish
- CCT: 6500K/3000K

MRP: ₹ 1,350 /-

HSN Code: 94051020



Coral LED Wall Light

10W LED
Model Number: 48029

Specifications & Features

- 10W: 500lm
- Sleek & modern design
- Bright light
- Premium material & finish
- Long life LED light source
- Case size: 6 pcs
- CCT : 6000K/3000K

MRP: ₹1200/-

HSN Code: 94051020



Ledvantez Desk light

3.2W (0.2LED X 16W) with panel diffuser

Specifications & Features

- Synthetic material
- Finish, color: matte, gold and silver
- H: 425 mm X L: 180 mm X W: 488 mm
- Bright diffused beam – LED light with specialized optics
- Easy to adjust – flexible gooseneck
- Convenient – switch on shade

MRP: ₹1,600/-

HSN Code: 94052010



Vector – Table Lamp

5W
Model Number: 31439

Specifications & Features

- Wide round diffuser, even spread of light gooseneck, Adjustable orientation
- 450 lumen, 5W, IP20
- Available in Carbon black color, classy matte finish

MRP: ₹1,100/-

HSN Code: 94052010

Air Desklight

4.5W
Model Number: 61013

Specifications & Features

- No visible flickering, no UV/IR and low glare to prevent eye strain
- CRI>80
- Flexible gooseneck
- Optimal heat management to prevent damage to LED light source

MRP: ₹1,200/-

HSN Code: 94052010



Ujjwal Plus Rechargeable Emergency Light

Model Number: 91126
32 LED: 250 Lumens, Color: Dark Blue

Specifications & Features

- Long life lithium ion battery
- 360° Bright light: 250lm
- Backup time: 4 hrs
- Charging time: 10 hrs

MRP: ₹1,350/-

HSN Code: 85131090



Ojas Rechargeable Led Lantern

Model Number: 33381



Specifications & Features

- Lithium Ion battery
- Overcharge and deep discharge protection
- Charging time: 8 hours

MRP: ₹1,450/-

HSN Code: 85131090



Ujjwal Mini Rechargeable Emergency Light

Model Number: 91126/16
LED: 100 Lumens, Color: Dark Blue

Specifications & Features

- Long life lithium ion battery
- Bright light with 100lm
- Usage time: 4 hrs
- Charging time: 4 hrs

MRP: ₹850/-

HSN Code: 85131090



Ojas Mini Rechargeable Led Lantern

Specifications & Features

- Overcharge & deep discharge protection
- Highly efficient 18 nos. LEDs for bright unflickering light
- Battery type: Lithium Ion Battery 3.7V, 1300 mAh
- Charging details: Backup time 4 hrs., Charging time: 3 hrs.

MRP: ₹1,295/-

HSN Code: 85131090



Slimray Rechargeable Emergency Light

2W, 4W
Model Number: 48010/31/86, 48009/31/86

Specifications & Features

- 2W:160 lumen / 4W: 300 lumen
- Lithium ion battery
- Overcharge and deep discharge protection
- Charging time: 12 hours/ 7 hours

MRP: 2W: ₹1,250/-, 4W: ₹1,750/-

HSN Code: 85131090



CFL & GLS



Essential CFLi

8W: 415lm, 14W: 720lm, 18W: 1010lm,
23W: 1300lm

Specifications & Features

- Available in BC22
- Available in CDL

MRP: ₹155/-, ₹170/-, ₹215/-, ₹250/-

HSN Code: 85393110



Softone

40W, 60W, 100W

Specifications & Features

- Softer, frosted glow
- Case size: 100 pcs

MRP: 40W/60W: ₹20/-, 100W: ₹22/-

HSN Code: 85392910



Lustre Lamp

27W: 1760lm, 32W: 2150lm, 45W: 2735lm,
65W: 4000lm, 80W: 5100lm

Specifications & Features

- Lamp type: spiral
- Available in: ES
- Available in: CDL
- Case size: 100 pcs

MRP: Clear: ₹22/-, Soft White: ₹25/-

HSN Code: 85392910



Infrared lamp

- Wattage: 250W
- Lumen output becomes upto 50% when on battery mode
- Case size: 9 pcs

MRP : ₹500/-



Candle

25W, 40W

Specifications & Features

- 25w Clear E27
- 25W Pearl Candle
- Case size: 50 pcs

MRP: 25W clear: ₹20/-, 25W/40W Pearl & CLR: ₹22/-

HSN Code: 85392910

Standard Incandescent

25W, 40W, 60W, 100W, 200W

Specifications & Features

- 25W/40W/60W/100W/200W
- Case size: 25W/40W/60W/100W: 150pcs
200W: 50 pcs

MRP: 25W/40W/60W: ₹ 1/-, 100W: ₹ 17/-, 200W: ₹ 31/-

HSN Code: 85392910



Decoration Coloured Lamp

15W (Red, green, yellow, blue, orange and soft white)

Specifications & Features

- Coloured decoration lamp
- Application: Festive lighting, Pooja room, night lamp
- Available in red, green, yellow, blue, orange and soft white

MRP: ₹21/-

HSN Code: 85392910





Double-ended Halogen

500W & 1000W

Specifications & Features

- Case size: 10 pcs

MRP: ₹110/-, ₹130/-

HSN Code: 85392190



CFL-NI PL-S Lamps

9W & 11W

Model Number: PL-S

Specifications & Features

- Available in 2 pin and 4 pin
- 2 color temperatures 2700 and 6500

MRP: 9W, 11W: ₹105/-

HSN Code: 85393110



CFL-NI PL-C Lamps

10W, 13W, 18W, 26W

Model Number: PL-C

Specifications & Features

- Choice in 3 color temperatures 2700K, 4000K and 6500K
- Available in 4 wattages 10W, 13W, 18W, 26W
- Available in 2 pin and 4 pin

MRP: 10W, 13W, 18W: ₹135/-, 26W: ₹175/-

HSN Code: 85393110



CFL-NI PL-L Lamps

18W & 36W

Model Number: PL-L

Specifications & Features

- Choice in 3 color temperature and 6500k
- Available in 2 wattages 18W & 36W
- Available in 4 pin Only

MRP: Clear: 18W, 36W: ₹145 /-

HSN Code: 85393110



TL

T5 Essential

14W & 28W

Specifications & Features

- Lumen: 1220lm/2600lm
- Life: 15,000 hrs.
- 830/840/865 colours available
- Case size: 40 pcs

MRP: 2ft: ₹120/-

HSN Code: 85393190



T8 Trulite

18W & 36W

Specifications & Features

- Lumen: 1350lm/3250lm
- Life: 15,000 hrs.
- 827/840/865 colours available
- Case size: 25 pcs

MRP: ₹2ft: 110/-, 4ft: ₹120/-

HSN Code: 85393190



T8 Lifemax Plus

36W

Specifications & Features

- Lumen: 2650lm
- Life: 21,000 hrs
- Case size: 30 pcs

MRP: ₹60/-

HSN Code: 85393190

T8 Superbright 36W

Specifications & Features

- Lumen: 3200 lm
- Life: 20,000 hrs.
- Available in colour 865
- Case size: 25 pcs
- CRI>80

MRP: 36W: ₹70/-

HSN Code: 85393190



T8 Lifemax

Industrial 18W & 36W available
for Bulk supplies

Specifications & Features

- Lumen: 1015lm/2450lm
- Life: 15,000 hrs.
- Case size: 18W: 25 pcs
36W: 36 pcs

MRP: ₹2ft: 52/-, 4ft: ₹55/-

HSN Code: 85393190



T12 Champion 3-in-1

20W & 40W

Specifications & Features

- Lumen: 940lm/2450lm
- Life: 15,000 hrs.
- Case size: 30 pcs

MRP: 20W: ₹53/-, 40W: ₹55/-

HSN Code: 85393190

T8 Champion Maxbright with twin glow technology

36W

Specifications & Features

- Life: 15,000 hrs
- Case size: 30 pcs

MRP: ₹65/-

HSN Code: 85393190




Starter S10

Model No : 12 NC 913713823401,
12 NC 913713819201 & 12 NC 913713822601

Specifications & Features

- Designed for 36W & 40W tubelight
- Case size: 24 pcs

MRP: ₹15/-



MODULAR SWITCHES



Mirror Glaze

Model Number: 12 NC 913713947301
Grid & Cover

Specifications & Features

- Multiple color/sparkle option for superior look
- Light weight/ultra-durability
- Easy to clean
- Great strength due to honeycomb ribs construction

MRP: 6M Mirror Glaze Black: ₹1135/-

HSN Code: 85365020

Smart+

Model Number: 12NC: 913713638801
12NC: 913713642401


Specifications & Features

- Mix blend of glossy & matt finish makes it premium
- Light weight/ultra-durability
- Great strength due to honeycomb ribs construction

MRP: Switch 1M-1W 10AX Smart+ Matt Black: ₹107/-
Grid & Cover-3M Smart+ Matt Black: ₹750/-

HSN Code: 85365020





Metallica

Model Number: 12NC: 913713969801;
12NC: 913713972501

Specifications & Features

- Premium metallic color to enhance decor
- Dual shutter and triple protection technology
- Innovative front removal and insertion technology

MRP: Switch 1M-1W 10AX - Metallica: ₹110/-
Grid & Cover - 3M Metallica: ₹195/-

HSN Code: 85365020

Anti-Bacterial


Model No: 12NC 913713823401,
12NC 913713819201 & 12NC 913713822601

Specifications & Features

- 99% Reduction in Bacteria (Ecoli & Staphylococcus Aureus) On the Surface
- Safe for Human Contact
- Permanent Coating equal to product life durability and Value for Money
- Material Silver Ion (anti-bac Coating) with Poly carbonate
- Fire Retardant

MRP: Switch 1M-1W 10AX Smart Antibac: ₹116/-
Grid & Cover-6M Smart Antibac: ₹212/-
3Pin socket 2M 6-16A Smart Antibac: ₹266/-

HSN Code: 85365020



Durro Range

Model Number: 12NC: 913713987901
12NC: 913713991301

Specifications & Features

- Brass terminals and contacts for longer life
- Dual shutter and triple protection technology
- Better locking mechanism
- Shrouded terminals with captive screws
- Softer sound with premium feel

MRP: Switch 1M 1Way 10AX - Durro: ₹38/-
Grid & Cover-3M - Durro: ₹84/-

HSN Code: 85365020



MCB, RCCB & ISOLATORS



MCB

Model Number : 12NC: 913713920249
12NC: 913713929249

Specifications & Features

- RoHS compliance (TDS)
- ISI certified (BIS Licence)
- IP 20 protected (TDS)
- Energy efficient

MRP: MCB 1 POLE Curve B 16A: ` 200/-
MCB 2 POLE Curve C 16A: ` 610/-

HSN Code: 85362030

MCB

Model Number: 12NC: 913713920049
12NC: 913713930549

Specifications & Features

- Conforms to IEC 60898 & IS : 8828 standards
- Energy limiting class 3
- Trip free mechanism
- Designed with increased air circulation enhancing efficiency and life
- Combination head captive screws
- High terminal capacity
- Available in B and C curve

MRP: MCB 1 Pole Curve B 06A: ` 200/-
MCB 3 Pole Curve C 06A: ` 950/-

HSN Code: 85362030





RCCB

Model Number: 12NC: 913713936549
12NC: 913713938049

Specifications & Features

- Confirms to IEC 61000 & IS: 12460-1 standards
- High shock resistance
- Combination head captive screws
- IP 20 protection with finger proof terminals
- High terminal capacity to accommodate a 35 sq. mm cable
- Wide residual current range from 30mA to 300mA

MRP: Clear: RCCB two pole 25A/30mA: ` 2,520/-
RCCB four pole 25A/30mA: ` 3,260/-

HSN Code: 85362040



Isolator

Model Number: 12NC: 913713934549
12NC: 913713935149

Specifications & Features

- Conforms to IEC 60947-3 standards
- Resistance to shock- 40mm free fall
- Combination head captive screws
- IP 20 protection with finger proof terminals
- High terminal capacity to accommodate a 35 sq. mm cable
- Energy efficient

MRP: Isolator 1 Pole 40 A: ` 260/-
Isolator 2 Pole 63 A: ` 490/-

HSN Code: 85365010



Trip Starter


Model Number:
12NC: Trip starter-6A-Smart Range-913713663701
12NC: Trip starter-10A-Smart Range-913713663801

Specifications & Features

- Short circuit breaking capacity- 3 KA with IP 20 protection
- Compatible with all ranges of Philips modular switches
- Glossy finish; easy to clean
- Available in 6A, 10A, 16A, 20A, 25A, 32A power rating

MRP: Trip Starter 6A & Trip Starter 32A: ` 199/-

HSN Code: 85362030



Distribution Box

Model Number: 12NC: 913713968701
12NC: 913713968901

Specifications & Features

- Premium quality powder coating applied to avoid rusting
- Level marking for easy flush mounting
- Masking sheet provision to avoid cement spillage
- Optional wire entry on side walls

MRP: Single Door SPN 4 Way: ₹ 960/-
Double Door SPN 4 Way: ₹ 1500/-

HSN Code: 85371000

LIGHTING ACCESSORIES



ecolink
4 WAY SPIKE AND SURGE GUARD



Ecolink 4-Way Spike & Surge Guard

Model Number: 913713692901 (White), 913713693001 (Black)

Specifications & Features

- Protects appliances against voltage fluctuations
- Wider cords for extra safety
- Universal Socket Compatible with multiple country plug
- Master Switch with LED indicator
- With ISI marked plug and chord

MRP: 4way spike & surge guard 1.5mtr - White: ` 499/-
4way spike & surge guard - Black: ` 399/-

HSN Code: 85369010



Smart Harmony Electronic Doorbell

Model Number: 913713825601, 913713833101

Specifications & Features

- Musical Sound
- Premium finish
- Power efficient

MRP: Smart Harmony Musical Door Bell-Grey: ₹ 240/-
Smart Harmony Musical Door Bell-Cyan: ₹ 240/-

HSN Code: 85318000



Smart Buzz Doorbell

Model Number: 12NC 913713818701, 913713818801

Specifications & Features

- Crisp and loud pleasurable sound
- Premium glossy finish
- Power efficient
- Easy to install

MRP: Smart Buzz Ding Dong Doorbell Blue `210
Smart Buzz Ding Dong Doorbell Grey `210

HSN Code: 85318000



Ecolink Extension Reel

Specifications & Features

- 4 Mtr cable for extended reach
- Universal socket for different country plugs
- 0.5 mm, 2 cross section cord, withstand wear and tear
- Enhanced aesthetic with combination of matt and gloss
- 360 degree smooth rotation
- Master switch with LED indicator
- Suitable for home application, office computers, TV, DVD players

12NC	913713666601
Description	Extension reel-Ecolink
Packaging	1 pc. fancy box 10 pc in shipper box
MRP	` 299/-

Ecolink Multipin

Model Number: 12NC 913713699801

Specifications & Features

- Universal socket for multi country plug
- High heat resistant body
- Superior shape with premium brass connectors
- FR Grade polycarbonate material
- Convenient gripping
- Premium gloss finish

MRP: Multipin Socket 6A-Ecolink ₹ 140/-

HSN Code: 85369090



Modular Lamp Holder

Model No: 12 NC :913713859001

Specifications & Features

- White & Grey colour, Polycarbonate & ABS body, Fire retardant
- Available in White & Grey Colour

MRP : 12 NC: 913713859001 ₹80/-

HSN Code: 85366110



Philips Deco Lamp Holder

Model Number: 913713699901 , 913713900101

Specifications & Features

- Available in blue, pink and white colors
- Superior shape with straight and angular configuration
- 6Pc Blister pack for better retail reach
- Heat vents on the collar to allow dissipation of heat

MRP: Deco Lamp Holder – White: ` 48/-
Deco Lamp Holder – Coloured: ` 50/-

HSN Code: 85366110






Philips Plug Tops Economy Range

Specifications & Features

- Convenient gripping
- High heat resistant body
- Nickel plated pins
- Easy wire routing with additional space
- Sturdy body with elegant design



12NC	913713678501	913713678601
Description	3 Pin Plug 6A economy range	3 Pin Plug 16A economy range
Packaging	Single pc mono carton	Single pc mono carton
Shipper box	50 pc	50 pc
MRP	60/-	90/-



Solution Boxes

Model Number: 913702333601, 913702339101

Specifications & Features

- Dual Shutter Technology & One Pin Non Entry
- Overload protection with high degree of insulation
- Captive screw in Socket
- Suitable for air conditioner, microwave oven, mixer grinder



MRP: Solution Box with Motor Starter 25A: ₹ 1,050/-
Solution Boxes with Trip Starter 25A: ₹ 720/-

HSN Code: 85369010

LED AND LAMP DRIVERS



Sumo Extreme 136

Wattage available: 36W

12NC	Description	MRP (Rs)
913712910814	Sumo Xtreme 136 TLD	190/-

Specifications & Features

- Best surge protection for lamp safety
- Unique end of life protection circuit
- Intelligent auto cut-off @ 330V for lamp safety

Sumo LED Drivers

Wattage available: 2W-4W, 5W-7W, 8W-10W, 11-15W, 16W-21W

12NC	Description	MRP (Rs)
929001469106	Sumo LED 2-4W	100/-
929001469206	Sumo LED 5-7W	150/-
929001478106	Sumo LED 8-10W	200/-
929001478006	LED Driver Astra Prime 15W 0.25A 240V	250/-
929001469406	Sumo LED 11-15W	250/-
929001469506	Sumo LED 16-21W	300/-

Specifications & Features

- Isolated design with 2KV surge protection
- Optimized for Indian conditions
- Instant flicker-free start / Long lasting
- Over voltage protection with wide operating range surviving 320V@48hrs and 350V@2hrs



Constant Voltage LED Drivers

Wattage available: 24W / 60W
Current Available: 2A / 5A

12NC	Description	MRP (Rs)
929001417360	LED Transformer 24W 2A 12VDC	350/-
929001417466	LED Transformer 60W 5A 12VDC	600/-

Specifications & Features

- High standards of safety
- Reliable, robust and versatile
- Short circuit and over voltage protection
- Compact size
- Class II (no need of earthing)
- Application – with LED Tape/Strips