

REBORN EVERY DAY WITH HOT WATER



THE LATEST RANGE OF WATER HEATERS REBORN
WITH LEADING-EDGE TECHNOLOGY AND INNOVATIVE FEATURES



INNOVATIONS



Reborn Everyday With Hot Water

Racold is India's most trusted brand of water heaters from the house of Ariston, with a portfolio of premium quality products that cover the entire spectrum of water heating solutions.

At Racold, our innovative products are a testimony of our commitment towards understanding our consumer's needs. Racold is leading the water heater industry by delivering efficiency and eco-friendly benefits with our products. No wonder, Racold has been selected as Superbrand 2019.

Racold believes in the power of quality hot shower that enables the physical and emotional transformation to be reborn every day.



Disclaimer:

- 'Racold' brand is a registered trademark of Ariston Thermo Group

FOR YOU

OUR BEST-IN-CLASS INNOVATIONS



Smart Control

Combination of high-tech features like Smart Bath Logic, Auto Diagnosis, Eco Function and Wi-Fi Connect for personalised hot shower and huge energy saving.



Wi-Fi Connect

Get ease of control anywhere and anytime with Wi-Fi connect.



Titanium Plus

Specially designed Titanium Steel with Titanium Enamel Coating gives the tank high durability and superior withstanding capacity.



Eco Function

Save energy through a one-of-a-kind Eco Function.



33% Faster Heating

The high power 3kW heating element ensures you get hot water in no time.



Smart Bath Logic

Customise your bathing experience with Smart Bath Logic.



Safety Plus

Three levels of safety against high temperature and pressure, provided by thermostat, cut-out and multi-function safety valve.



Slim Design

Compact and utilitarian design for urban bath spaces.

Note: Features mentioned above are not available across entire range of products. Individual features may vary from product to product.

Disclaimer:

- Smart control is a combination of multiple functions (smart bath logic, Auto diagnosis and eco function) introduced for the first time in India by Racold
- **33% Faster Heating as compared to a regular 2kW heating element

STORAGE WATER HEATER RANGE



Warranty



Product	2yrs.
Heating Element	4yrs.
Inner Tank	7yrs.

5-Star - 25 L | 4-Star - 15 L

Omnis™ Wi-Fi



Model	Omnis Wi-Fi		
Type	Storage		
Capacity	15L 25L		
Power Supply	230 Volts AC, 50 Hz. Single Phase		
Wattage (kW)	2kW		
Max. Rate Pressure (Bar)	8		
Installation Type	Wall Mounting		

Dimensions (in mm)

Capacity	15L	25L
Length/Width	360	447
Depth	324	386

All models available in



Wi-Fi Connect

Get ease of control anywhere and anytime with Wi-Fi Connect.



Warranty



Product	2yrs.
Heating Element	4yrs.
Inner Tank	7yrs.

5-Star - 25L | 4-Star - 15L / 10L

Omnis™ LUX



Model	Omnis Lux		
Type	Storage		
Capacity	10L 15L 25L		
Power Supply	230 Volts AC, 50 Hz. Single Phase		
Wattage (kW)	2kW		
Max. Rate Pressure (Bar)	8		
Installation Type	Wall Mounting		

Dimensions (in mm)

Capacity	10L	15L	25L
Length/Width	360	360	447
Depth	276	324	386

All models available in



Black



Sandstone

Smart Control Technology

Combination of high-tech features like Smart Bath Logic, Auto Diagnosis and Eco Function for personalised hot shower and huge energy saving.

STORAGE WATER HEATER RANGE



Andris Uno

Model	Andris Uno		
Type	Storage		
Capacity	10L 15L 25L		
Power Supply	230 Volts AC, 50 Hz. Single Phase		
Wattage (kW)	2kW		
Max. Rate Pressure (Bar)	8		
Installation Type	Wall Mounting		

Dimensions (in mm)

Capacity	10L	15L	25L
Length/Width	360	360	447
Depth	278	326	390

All models available in

- White Body with Black Panel
- White Body with Sandy Panel

Titanium Plus

Specially designed Titanium Steel with Titanium Enamel Coating gives the tank high durability and superior withstanding capacity.

Warranty



Product	2yrs.
Heating Element	3yrs.
Inner Tank	5yrs.

5-Star - 25L | 4-Star - 15L / 10L



Andris Slim

Model	Andris Slim**	
Type	Storage	
Capacity	20L 30L	
Power Supply	230 Volts AC, 50 Hz. Single Phase	
Wattage (kW)	2.5kW	
Max. Rate Pressure (Bar)	8	
Installation Type	Horizontal Wall Mounting	

Dimensions (in mm)

Capacity	20L	30L
Length	700	754
Width	280	335
Depth	302	340

All models available in

- White Body with Black Panel

Space Saving

Compact and utilitarian design for urban bath spaces.

Warranty



Product	2yrs.
Heating Element	3yrs.
Inner Tank	5yrs.

4-Star - 20L / 30L

**Star label obtained as per BEE guidelines considering 15 Ltr and 25 Ltr capacities for 20 Ltr and 30 Ltr products respectively

- The images are for representative purposes and the actual product may vary
- Specifications are subject to change without prior notice
- Star rating obtained as per BEE guideline

STORAGE WATER HEATER RANGE



Warranty

Product	2yrs.
Heating Element	3yrs.
Inner Tank	7yrs.

5-Star - 50L / 100L

Platinum Plus



FREE
INSTALLATION
+ PIPES

Model	Platinum Plus	
Type	Storage	
Capacity	50L 100L	
Power Supply	230 Volts AC, 50 Hz. Single Phase	
Wattage (kW)	3kW	
Max. Rate Pressure (Bar)	8	
Installation Type	Vertical Wall Mounting	

Dimensions (in mm)

Capacity	50L	100L
Length	613	993
Width	493	493
Depth	499	499

All models available in



White

Larger capacity, compact design :

New elegant and compact design with rare combination of technology and style.



Warranty

Product	2yrs.
Heating Element	2yrs.
Inner Tank	5yrs.

5-Star (Vertical)
4-Star - 15L / 25L / 50L &
3-Star 10L / 35L (Horizontal)

CDR



FREE
INSTALLATION
+ PIPES

Model	CDR					
Type	Storage					
Capacity	10L 15L 25L 35L 50L					
Power Supply	230 Volts AC, 50 Hz. Single Phase					
Wattage (kW)	2kW					
Max. Rate Pressure (Bar)	8					
Installation Type	Vertical Wall Mounting / Horizontal Wall Mounting					

Dimensions (in mm)

Capacity	10L (v/h)	15L (v/h)	15L(s)(v/h)	25L (v/h)	35L (v/h)	50L (v/h)
Length	442/450	562/570	388	513/831	655/702	907
Width/Depth	290/320	290/320	367	367/320	367/399	399

All models available in



White with
Grey Domes



Ivory with
Sandy Domes

SPHP

Special polymer coated tank prevents corrosion from hard water.

STORAGE WATER HEATER RANGE

NEW



Warranty

Product	2yrs.
Heating Element	2yrs.
Inner Tank	5yrs.

5-Star (All Model Vertical)
4-Star - 15L / 25L & 3-Star 10L / 35L (Horizontal)

CDR Dix



Model CDR Dix
Type Storage
Capacity 10L | 15L | 25L | 35L
Power Supply 230 Volts AC, 50 Hz. Single Phase
Wattage (kW) 2kW
Max. Rate Pressure (Bar) 8
Installation Type Vertical Wall Mounting / Horizontal Wall Mounting

Dimensions (in mm)

Capacity	10L (v/h)	15L (v/h)	25L (v/h)	35L (v/h)
Length	442/450	562/570	513/831	655/655
Width/Depth	290/320	290/320	367/320	367/367

All models available in



White with Grey Domes



Ivory with Sandy Domes

Titanium Plus

Specially designed Titanium Steel with Titanium Enamel Coating gives the tank high durability and superior withstanding capacity.

NEW



Warranty

Product	2yrs.
Heating Element	2yrs.
Inner Tank	5yrs.

5-Star (All Model Vertical),
4-Star - 6L / 10L (Horizontal)

CDR Swift



Model CDR Swift
Type Storage
Capacity 6L | 10L
Power Supply 230 Volts AC, 50 Hz. Single Phase
Wattage (kW) 3kW
Max. Rate Pressure (Bar) 8
Installation Type Vertical Wall Mounting / Horizontal Wall Mounting

Dimensions (in mm)

Capacity	6L (v/h)	10L (v/h)
Length	394/394	442/450
Width/Depth	290/290	290/320

All models available in



White with Grey Domes

33%** Faster Heating

The high power 3kW heating element ensures you get hot water in no time.

- The images are for representative purposes and the actual product may vary
- Specifications are subject to change without prior notice
- Star rating obtained as per BEE guideline
- **33% Faster Heating as compared to a regular 2kW heating element

STORAGE WATER HEATER RANGE



Warranty

Product	2yrs.
Heating Element	2yrs.
Inner Tank	3yrs.

5-Star (All Models)

Classico

Model	Classico				
Type	Storage				
Capacity	10L 15L 25L 35L				
Power Supply	230 Volts AC, 50 Hz. Single Phase				
Wattage (kW)	2kW				
Max. Rate Pressure (Bar)	8				
Installation Type	Vertical Wall Mounting				

Dimensions (in mm)	Capacity	10L	15L	15L(s)	25L	35L
	Length	442	562	388	513	655
	Width/Depth	290	290	367	367	367

All models available in



White

Titanium Plus

Specially designed Titanium Steel with Titanium Enamel Coating gives the tank high durability and superior withstanding capacity.



Warranty

Product	2yrs.
Heating Element	2yrs.
Inner Tank	3yrs.

5-Star (Vertical) 6L / 10L, 4-Star (Horizontal) 6L / 10L

Classico Swift

Model	Classico Swift		
Type	Storage		
Capacity	6L 10L		
Power Supply	230 Volts AC, 50 Hz. Single Phase		
Wattage (kW)	3kW		
Max. Rate Pressure (Bar)	8		
Installation Type	Vertical Wall Mounting / Horizontal Wall Mounting		

Dimensions (in mm)	Capacity	6L	10L (v)	10L (h)
	Length/Width	394	442	450
	Depth	290	290	290

All models available in



White

33%** Faster Heating

The high power 3kW heating element ensures you get hot water in no time.

MICRO STORAGE WATER HEATER RANGE



Warranty

Product	2yrs.
Heating Element	2yrs.
Inner Tank	5yrs.

5-Star - 6L

Pronto Stylo / Neo / DN#

Model	Pronto Stylo / Neo / DN		
Type	Instant Storage		
Capacity	1L 3L 6L		
Power Supply	230 Volts AC, 50 Hz. Single Phase		
Wattage (kW)	3kW (1/3/6 L) 4.5kW (1/3 L)		
Max. Rate Pressure (Bar)	6.5		
Installation Type	Vertical Wall Mounting		

Dimensions (in mm)

Capacity	1L	3L	6L
Length	281	335	428
Width	175	209	270
Depth	172	205	253

All models available in



Available in 3L capacity 3kW

Faster Heating Element

High powered heating element that provides hot water instantaneously.

ONLINE INSTANTANEOUS WATER HEATER RANGE



FREE
INSTALLATION

Aures - 5.5 kW



Model	Aures 5.5kW	
Type	Online Instantaneous	
Power Supply	230 Volts AC, 50 Hz. Single Phase	
Wattage/Step Power (kW)	5.5 kW / 2.2kW + 3.3kW	
Max. Rate Pressure (Bar)	8	
Ampere	23.9 @ 230V	
Max. Working Temp.	55°C	
Wire Thickness	230V 4 Sq.mm 3 core	

Dimensions (in mm)

Length	178
Width	304
Depth	98

All models available in



Warranty

Product	2yrs.
---------	-------

Lightning Fast Heating

High powered heating element that provides hot water instantaneously.

- The images are for representative purposes and the actual product may vary
- Specifications are subject to change without prior notice
- Star rating obtained as per BEE guideline
- **33% Faster Heating as compared to a regular 2kW heating element

ONLINE INSTANTANEOUS WATER HEATER RANGE



FREE
INSTALLATION
+ PIPES




Aures - 9/12kW

Model Aures 9kW | 12kW
Type Online Instantaneous
Power Supply 415 Volts AC, 50 Hz. 3 Phase
Wattage/Step Power (kW) 9kW | 12kW / 4+5 | 4+4+4
Max. Rate Pressure (Bar) 8
Ampere 13 @ 400V | 17.3 @ 400V
Max. Working Temp. 55°C
Wire Thickness 400V 4 Sq.mm 5 core

Dimensions (in mm)

Length	178
Width	304
Depth	98

All models available in

 White with Black Panel

Warranty

Product	2yrs.
---------	-------

Lightning Fast Heating

High powered heating element that provides hot water instantaneously.



FREE
INSTALLATION
+ PIPES



Aures Pro

Model Aures Pro 24kW
Type Online Instantaneous
Power Supply 415 Volts AC, 50 Hz. 3 Phase
Wattage/Step Power (kW) 24
Max. Rate Pressure (Bar) 10
Ampere 34.7 @ 400V
Max. Working Temp. 50°C
Wire Thickness 400V 6Sq.mm 5 core

Dimensions (in mm)

Length	356
Width	526
Depth	138

All models available in

 Black

Warranty

Product	2yrs.
---------	-------

Consistent Warmth

With the new digital control, enjoy uninterrupted hot water at same temperature every day.

INSTANTANEOUS GAS WATER HEATER RANGE



Gas Water Heater

Model	LPG NG
Type	Instantaneous
Capacity	6 LPM
Power Supply	3V DC
Heat Input (kW)	12kW
Max. Rate Pressure (Bar)	8
Installation Type	Vertical Wall Mounting

Dimensions (in mm)

Length	440
Width	300
Depth	133

All models available in



White

Double Solenoid Valve

Advanced safety feature with two solenoid valves to deliver double safety and complete peace of mind.

Warranty

Product	2yrs.
---------	-------



Gas Water Heater LED

Model	LED LPG LED NG
Type	Instantaneous
Capacity	6 LPM
Power Supply	3V DC
Heat Input (kW)	12kW
Max. Rate Pressure (Bar)	8
Installation Type	Vertical Wall Mounting

Dimensions (in mm)

Length	440
Width	300
Depth	133

All models available in



White

Digital Display



















Sleek, hi-tech display panel for temperature reading.

Warranty

Product	2yrs.
---------	-------



















- The images are for representative purposes and the actual product may vary
- Specifications are subject to change without prior notice
- Star rating obtained as per BEE guideline

CHOOSE THE BEST WATER HEATER FROM RACOLD'S LATEST RANGE

PRODUCT COMPARISON		STORAGE								
		Omnis Wi-fi	Omnis Lux	Omnis Lux Plus	Andris Uno	Andris Lux Plus	CDR Vertical	CDR Horizontal	CDR Dlx Vertical	CDR Dlx Horizontal
Benefits	Key features									
	Double level thermostat	✓	✓	✓	✓	✓	✓	✓	✓	✓
Safety	Safety valve	MFV	MFV	MFV	MFV	MFV	MFV	MFV	MFV	MFV
	Auto diagnosis	✓	✓	✓						
	Anti Scalding	✓	✓	✓						
Durability	Titanium enamel HE	✓	✓	✓	Copper HE	✓	Copper HE	Copper HE	Copper HE	Copper HE
	Titanium Plus coating	✓	✓	✓	✓	✓	SPHP	SPHP	✓	✓
Convenience	LED Temp Indicator	✓	✓	✓	Heating indicator	Heating indicator	Heating indicator	Heating indicator	Heating indicator	Heating indicator
	Shower ready	✓	✓	✓	✓	✓	✓	✓	✓	✓
	IOT enabled Wi-Fi	✓								
	Usage Scheduler	✓	✓	✓						
	Power consumption indicator	✓								
	Remote Plus Control (By App)	✓								
	Quick Function		✓	✓						
	Eco Function	✓	✓	✓						
	Smart Bath Logic	✓	✓	✓						
	Temp. regulation Knob	✓	✓	✓	✓	✓				
Aesthetics	Colour Options									
	Body Finish	Matt	Matt	Matt	Glossy	Glossy	Glossy	Glossy	Glossy	Glossy
	Design Type	Square	Square	Square	Square	Square	Cylindrical	Cylindrical	Cylindrical	Cylindrical
Range	Capacity (Ltr.)	15/25	10/15/25	10/15/25	10/15/25	10/15/25	10/15/15-S/25/35/50	10/15/25/35/50	10/15/25/35	10/15/25/35
	Power (kW)	2	2	2	2	2	2	2	2	2
Dimensions (in mm)	Length	360/447	360/360/447	360/360/447	360/360/447	360/360/447	442/562/388/513/655/907	450/570/831/702/907	442/562/513/655	450/570/831/655
	Width	360/447	360/360/447	360/360/447	360/360/447	360/360/447	290/290/367/367/399	320/320/320/399/399	290/290/367/367	320/320/320/367
	Depth	324/386	276/324/386	276/324/386	278/326/390	298/346/410	290/290/367/367/399	320/320/320/399/399	290/290/367/367	320/320/320/367
Warranty* (in years)	Product	2	2	2	2	2	2	2	2	2
	Heating Element	4	4	4	3	3	2	2	2	2
	Tank	7	7	7	5	5	5	5	5	5
Performance	STAR Rating	5 Star - 25Ltr 4 Star - 15Ltr	5 Star - 25Ltr 4 Star - 15Ltr 4 Star - 10Ltr	5 Star-25Ltr 4 Star-15Ltr 4 Star-10Ltr	5 Star-25Ltr 4 Star-15Ltr 4 Star-10Ltr	5 Star-25Ltr 4 Star-15Ltr 4 Star-10Ltr	5 Star	4 Star - 50Ltr 4 Star - 25Ltr / 15Ltr 3 Star - 35Ltr / 10Ltr	5 Star	4 Star - 15/25Ltr 3 Star - 10/35Ltr
	Max operating pressure (Bar)	8	8	8	8	8	8	8	8	8
	Flexo / Smart Mix technology	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Silver ion Technology			✓		✓				

* Specifications are subject to change without prior notice • From the date of purchase

CHOOSE THE BEST WATER HEATER FROM RACOLD'S LATEST RANGE

PRODUCT COMPARISON		STORAGE					MICRO STORAGE		SLIM STORAGE	
		CDR Swift - Vertical	CDR Swift - Horizontal	Classico	Classico Swift Vertical	Classico Swift Horizontal	Platinum Plus	Pronto Stylo	Pronto Neo	Andris Slim
Benefits	Key features									
	Safety	Double level thermostat	✓	✓	✓	✓	✓	✓	✓	✓
Safety valve		MFV	MFV	MFV	MFV	MFV	MFV	PRV	PRV	MFV
Auto diagnosis										
Anti Scalding										
Durability	Titanium enamel HE	Copper HE	Copper HE	Copper HE	Copper HE	Copper HE	Copper HE	Copper HE	Copper HE	Copper HE
	Titanium Plus coating	✓	✓	✓	✓	✓	✓	SS Tank#	SS Tank#	✓
Convenience	LED Temp Indicator	Heating Indicator	Heating Indicator	Heating Indicator	Heating indicator	Heating indicator	Heating indicator	Heating indicator	Heating indicator	Heating indicator
	Shower ready	✓	✓	✓	✓	✓	✓	✓	✓	✓
	IOT enabled Wi-Fi									
	Usage Scheduler									
	Power consumption indicator									
	Remote Plus Control (By App)									
	Quick Function									
	Eco Function									
	Smart Bath Logic									
	Temp. regulation Knob						✓			✓
Aesthetics	Colour Options									
	Body Finish	Glossy	Glossy	Glossy	Glossy	Glossy	Glossy	Glossy	Glossy	Glossy
	Design Type	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Prismatic	Prismatic	Prismatic	Horizontal slim
Range	Capacity (Ltr.)	6/10	6/10	10/15/15-S/25/35	6/10	6/10	50/100	1/3/6	1/3/6	20/30**
	Power (kW)	3	3	2	3	3	3	3/4.5*	3/4.5*	2.5
Dimensions (in mm)	Length	394/442	394/450	442/562/388/513/655	394/442	394/450	613/993	281/335/428	281/335/428	700/754
	Width	290/290	290/320	290/290/367/367/367	290/290	290/290	493/493	175/209/270	175/209/270	280/335
	Depth	290/290	290/320	290/290/367/367/367	290/290	290/290	499/499	172/205/253	172/205/253	302/340
Warranty* (in years)	Product	2	2	2	2	2	2	2	2	2
	Heating Element	2	2	2	2	2	3	2	2	3
	Tank	5	5	3	3	3	7	5	5	5
Performance	STAR Rating	5 Star	4 Star	5 Star (All Models)	5 Star	4 Star	5 Star	5 Star (6Ltr)	5 Star (6Ltr)	4 Star
	Max operating pressure (Bar)	8	8	8	8	8	8	6.5	6.5	8
	Flexo / Smart Mix technology	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Silver ion Technology									

* Specifications are subject to change without prior notice • From the date of purchase

* 4.5kW in only for 1/3 Ltr
Pronto Neo and Stylo have a variant in 3Litre 3KW with duronox passivation in tank

**Star label obtained as per BEE guidelines considering 15 Ltr and 25 Ltr capacities for 20 Ltr and 30 Ltr products respectively.



Reborn Everyday With Hot Water

Delivering excellence in water heating since 60 years



Winner of
Good Design
Award

24x7
WhatsApp
Chat Assistance

73628 88999

1860-425-2288

www.racold.com



09/2020

MARKETED BY: ARISTON THERMO INDIA PRIVATE LIMITED.

2nd Floor, Eastern Wing, Nyati Unitree, Nagar Road, Yerwada, Pune - 411 006 (India).

Customer Care Details

Email: customer.care@racold.com | Customer Care No.: 1860 425 2288 / 8600 25 6000.

Address: Same as marketed by.

Disclaimer:

- 'Racold' brand is a registered trademark of Ariston Thermo Group
- Any dispute shall be subject to the exclusive jurisdiction of Pune Courts
- Always use genuine Racold spare parts and connecting pipes
- Always get your installation done by authorized Racold Service center only